




Scratch Resistance High Gloss PVC Film Sheet To Cover Kitchen Cupboards 100m-400m

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500000m/month



Product Specification

- Service: OEM ODM
- Material: PVC
- Color: White, Red, Blue, Green, Yellow, Black, Cream Etc.
- Usage: Furniture, Kitchen Cabinet, Ceiling, Wall Panel
- Width: 1260mm, 1400mm
- Length: 100m-400m
- Heat Resistance: 120
- Feature: Non-toxic/ Anti Flame/ Moisture-proof/Anti Scratch
- Highlight: **Scratch Resistance High Gloss PVC Film, Scratch Resistance pvc high gloss sheet, High Gloss PVC Film 400m**

Product Description

Product Description:

Our **PVC foil** is primarily made from **Polyvinyl Chloride (PVC)**, a synthetic plastic material known for its durability, flexibility, and ease of processing. It is available in a wide range of colors, patterns, and textures to offer a cost-effective alternative to natural materials, such as wood, stone, fabric, or metal, while maintaining its high-quality aesthetic.

This foil can be applied to a variety of surfaces, including doors, cabinets, furniture, walls, and more, and also adheres well to different substrates. It is renowned for its tough resilience in high-traffic areas, and extremely simple to maintain – usually only requiring a weekly wipe down with some water.

The affordability of PVC decorative foil is one of its primary advantages. It offers users the opportunity to achieve an upscale aesthetics without incurring additional expenses. Additionally, a large range of styles and finishes are available from manufacturers, enabling modification to meet United States project specifications and personal design preferences.

Finally, decorative PVC foil is commonly used in residential and commercial settings, such as kitchens and bathrooms cabinets, doors, wall paneling, furniture surfaces, retail displays, and more.

Technical Parameters:

We offer a range of PVC film with thickness ranging from 0.1mm to 0.5mm. Its width is available in two sizes, namely 1260mm and 1400mm. The length of the film is available in a roll of 100-400m. We have a variety of designs available, including wood grain, solid color, marble, brick and so on. Surface treatments available include matt, super matt, embossed, high gloss, and soft touch. We provide both OEM and ODM service.

Applications:

Different Process for different application:

Membrane Press (vacuum press) - used for covering MDF, particleboard, wooden board, fiberboard, etc. These materials can be used to build doors, kitchen cabinet, wardrobes and other furniture. This process is also suitable for embossed boards which can cover up to five surfaces at once. The exact thickness of the board can range from 0.20mm to 0.50mm and the width range from 1260mm to 1400mm while the length of the roll can be between 100m to 300m.

Wrapping Profiles - this application is suitable for covering all kinds of profiles, such as wood profile, aluminum profile and PVC profile. These can be used to build door frames, window sills, base channels and PVC ceiling. The thickness of the board can range from 0.12mm to 0.18mm while the width is between 40mm to 1260mm. The length of the roll can be 300m to 800m.

Cold Laminating - this process is suitable for covering flat panels such as wood and steel panel, aluminum panel and PVC panel which can be used to build doors and furniture. The thickness of the board can range from 0.12mm to 0.20mm, the width is between 1240mm to 1260mm and the length of the roll can be 300m to 500m.

Hot Laminating - this process is the hottest process and is suitable for covering PVC panel, steel panel and aluminum panel which are used to build doors and skirting. The thickness of the board can range from 0.16mm to 0.30mm, the width is 1260mm and the length of the roll can be 200m to 300m.

Self-adhesive - this application is suitable to put on any smooth surface such as furniture and indoor decorations. The thickness of the board can range from 0.10mm to 0.20mm, the width is either 600mm or 1220mm and the length of the roll can be 5m to 50m.

Customization:

Realsun Deco's **High Gloss PVC Film** is a colorful, rigid PVC film that offers superior heat resistance of up to 120 . This high-gloss film is perfect for lamination, vacuum membrane press, and wrapping applications, and is suitable for furniture, kitchen cabinets, ceilings, and wall panels. It is available in a range of colors, including white, red, blue, green, yellow, black, and cream.

Support and Services:

Technical Support and Service for High Gloss PVC Film

The technical support and service for High Gloss PVC Film offered by XYZ Company includes but is not limited to:

On-site installation and training

Troubleshooting

Product maintenance

Technical advice

Product warranty

We are committed to providing timely and professional service to meet your needs. Please feel free to contact us if you have any questions.

Packing and Shipping:


Packaging and Shipping


High Gloss PVC Film is usually packaged in rolls, with each roll being wrapped in either foam sheet and kraft paper for added protection. The rolls are then placed on a pallet, which is shrink-wrapped for extra protection against the elements and secured with strapping.


Shipping methods vary depending on the size of the order and the destination. Smaller orders can be sent via courier services, while

larger orders can be sent via freight. All shipments are fully insured and tracked.

 **Foshan Realsun Decorative Material Co., Ltd.**

 [+8613790066054](tel:+8613790066054)

 sale1@realsundeco.com

 realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China