Scratch Resistance High Glossy PVC Membrane Foil For Door Skin Cover

Basic Information

Place of Origin: Foshan, China
Brand Name: Realsun Deco
Minimum Order 3000m/model

Quantity:

• Price: Negotiable

Packaging Details: Pack in roll

• Delivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

MOQ: 2000-3000m/model

• Packaging: Rolls

• Printing: 1-5Color Printing

• Surface: Smooth, Embossed, Texture, Matte, Super

Matte, Soft Touch, High Gloss

• Usage: Lamination, Vacuum Membrane Press,

Wrapping, Hot Pressetc.

• Thickness: 0.14mm-0.5mm

• Width: 1260mm/1400mm

• Length: 100m-400m/roll

Highlight: Scratch Resistance PVC Membrane Foil,

Scratch Resistance pvc membrane film, Door Skin Cover PVC Membrane Foil

Product Description:

Our PVC Foil is made of Polyvinyl Chloride (PVC), an artificial plastic material that has outstanding strength, flexibility, and is simple to process. We offer a wide selection of colors, patterns, and textures that imitate the look of natural materials such as wood, stone, fabric, or metal, but with much lower prices and yet a very premium outlook. The foil is applicable in a broad range of surfaces, like walls, doors, cabinets, and furniture, and has a long-lasting effect, making it a great choice for high-traffic spaces. In addition, it just needs to be cleaned once a week, making maintenance effortless. Furthermore, it is very economical, costing much less than natural materials to create an ostentatious look. Besides that, it can be custom-modified with different styles and finishes so it fulfills certain projects requirements and design tastes. Decorative PVC foil is widely used in settings of both home and commercial, from wall panels to furniture surfaces, store displays, interior doors to kitchen cabinets.

Technical Parameters:

Our PVC film products come in a variety of sizes and textures, perfect for any job. The thickness ranges from 0.1mm to 0.5mm, with widths of 1260mm and 1400mm. The length of our rolls vary from 100-400m.

Whether you need a wood grain look, solid colour, marble finish, brick look, matt, super matt, embossed, high gloss, or soft touch surface, we have the right solution for you.

We offer more than just our products, as we offer OEM, ODM, one-stop solution and service of installation production.

Applications:

For Membrane Press Vacuum Press, the film can provide a thickness of 0.2-0.5mm, the width of 1260mm and 1400mm, and a length of 100-300m/roll. It can be used to cover on MDF, particleboard, wooden board, and fiberboard primarily for doors, kitchen cabinet, wardrobe, and furniture. It can also cover on embossed boards and numerous surfaces at the same time.

For Wrapping Profiles, the film provides thickness of 0.12-0.18mm, width of 40-1260mm, and a length of 300-800m/roll. Mainly used for door frames, window sills, base channels and PVC ceilings, it can cover on wooden profiles, aluminum profiles, and PVC profiles. Cold Laminating film gives a thickness of 0.12-0.20mm, width of 1240-1260mm, and a length of 300-500m/roll. It is designed to cover on wooden panels, steel panels, aluminum panels, and PVC panels for furniture and doors.

Hot Laminating film has 0.16-0.30mm for thickness, 1260mm for width, and 200-300m/roll for length. It suits to cover PVC panels, steel panels, aluminum panels for doors, skirting, and other applications.

Self-adhesive film has a thickness of 0.1-0.2mm, width of 600mm and 1220mm, and length of 5-50m/roll. Mainly used for furniture and indoor decoration, it can stick on any smooth surface.

All the PVC films are carefully packed with wrapping foam sheet, kraft paper head, and plastic sheet outside. For shipping by sea or air, pallet packing is available.

Customization:

Brand Name: Realsun Deco **Place of Origin:** Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Features: Waterproof, Anti Flame, Anti-scratch, Antibacterial, etc.

Thickness: 0.14mm-0.5mm

Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Pressetc.

MOQ: 2000-3000m/model

Material: PVC

We offer custom PVC Membrane Foil for vacuum membrane press, lamination, wrapping and hot press. Our product is made of quality PVC material, with thickness ranging from 0.14mm to 0.5mm. It is waterproof, anti-flame, anti-scratch, and anti-bacterial. The minimum order quantity is 2000-3000m/model. The price is negotiable. The delivery time is 15-20 days. We accept T/T payment with 30% down payment and 70% balance before shipment. Our supply ability is 500000m/month. All products are packed in roll. Contact us for more details.

Support and Services:

We provide technical support and service for PVC Membrane Foil, including:

24/7 customer service

Installation and maintenance instructions

Troubleshooting and repair tips Technical advice and support

Free replacement parts

Packing and Shipping:

PVC Membrane Foil should be packaged and shipped in the following way:

The foil should be tightly wrapped in plastic to prevent moisture from entering and damaging the product.

The foil should be rolled up and sealed with an outer plastick sheet, kraft paper head, and foam protective sheet.

The roll should be labeled with the product name and destination address.

The roll should be shipped with a reliable shipping service that offers tracking.

Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China